



AQ GUARD SMART 2000

AIR QUALITY MEASUREMENT

Monitoring of Ultra-Fine Particles

Made in Germany

Precise Monitoring of Ultra-Fine Dust with **AQ GUARD SMART 2000**

Ultra-fine particles (UFP) significantly impact our health – confirmed by the World Health Organization (WHO). However, optical aerosol photometers or spectrometers can hardly or not at all detect them due to their small size.

AQ GUARD SMART 2000 was specially designed for use in the ultra-fine particle range. The compact and easy-to-use measuring device closes the gap between classical condensation particle counters (CPC) and optical systems and convinces by its price-performance ratio.

The **AQ GUARD SMART 2000** is suitable as a quality control instrument to check and compare concentrations or detect trends and deviations.

Long-term measurements for the evaluation of number concentrations indoors and outdoors are thus easily and reliably possible, for example, at highly polluted locations such as seaports and airports, main roads, forwarding agencies, or even toll and border stations. But the **AQ GUARD SMART 2000** is also used for formation and dispersion studies.



Application Examples



SEAPORTS



SMART CITY



TRAFFIC JUNCTIONS



AIRPORTS



INDUSTRIAL PLANTS



DISPERSION STUDIES

Principle of Operation

AQ GUARD SMART 2000 is a reliable instrument for simple yet accurate monitoring of particle number concentrations for UFP working fluids.

AQ GUARD SMART 2000 is low-maintenance and runs smoothly over more extended periods of time without recalibration. Data transfer options are versatile, ranging from USB, Ethernet (LAN), Wi-Fi, 3G/4G via modem to LoRaWAN (optional).

AQ GUARD SMART 2000 is MyATMOSPHERE-ready. A connection to the Palas Cloud MyATMOSPHERE offers additional advantages. Operators (private or governmental) can thus retrieve current measured values directly and compare them directly with other devices. Via an optional programming interface (API), MyATMOSPHERE can also be integrated into your own environments.



Special Advantages and Benefits

LATEST TECHNOLOGY

- Simple and accurate monitoring of particle number concentration for UFP
- Fast commissioning and immediate acquisition of measured values via the MYATMOSPHERE cloud
- Situational configuration via Wi-Fi hotspot, remote access as well as external touchpad
- Communication via GPRS / 3G / 4G / Ethernet / Wi-Fi, optional: LoRaWAN
- Expandable with weather station

DIFFERENT MEASUREMENTS

- Measurement of particle concentration as well as LDSA (Lung Deposited Surface Area)
- Measuring range number $C_N > 1,000$ particles/cm³ as well as size from 0.01 μm
- Measuring principle of diffusion charging

BEST PRICE-PERFORMANCE RATIO

- Reliable alternative or supplement to CPC and SMPS systems

Technical Features

Measuring principle	Diffusion charging
Reported data	C_N , average diameter X50, LDSA (Lung Deposited Surface Area), pressure, temperature, relative humidity
Measurement range (number C_N)	1,000–10 ⁷ particle/cm ³
Measurement range (size)	0.01–1 µm
Interfaces	USB, Ethernet (LAN), Wi-Fi, 3G/4G via modem, optional: LoRaWAN
Protocols	UDP, ASCII, Modbus
Data Management	Prepared for connection to the Palas Cloud MYATMOSPHERE („MYATMOSPHERE-ready“)*
Installation conditions	-20–+40 °C
Dimensions (H • W • D)	530 • 270 • 208 mm
Weight	Approx. 6 kg
Special features	Heated inlet, mast / tripod mount

* separate registration necessary; cloud license fees may apply or SIM card required

Subject to technical changes

More Measurement Devices

... for air quality monitoring in real time.

In addition to the **AQ GUARD SMART 2000**, the AQ GUARD SMART SYSTEM consists of the AQ GUARD SMART 1000, the AQ GUARD SMART 1100 as well as the AQ GUARD SMART 1200*. The MCERTS Indicative certified particulate matter devices can detect PM_{1} , $PM_{2.5}$, PM_{4} , PM_{10} , TSP (optional: SO_2 , NO_2 , O_3 , CO, TVOC, CO_2).



... for precise nanoparticle measurements.

Our nanoparticle measurement systems UF-CPC and ENVI-CPC measure the number concentration of ultra-fine aerosols from $D_{50} = 4$ nm, alternatively according to CEN/TS 16976:2016 from $D_{50} = 7$ nm resp. 10 nm.





Palas is a leading developer and manufacturer of high precision instruments for the generation, measurement and characterization of particles in air.

With more than 30 active patents, Palas develops technologically leading and certified fine dust and nanoparticle analyzers, aerosol spectrometers, generators and sensors as well as related systems and software solutions. Palas was founded in 1983 and employs more than 100 people.

Palas GmbH

Siemensallee 84 | Building 7330 | 76187 Karlsruhe

Phone: +49 721 96213-0

www.palas.de